3141 bpi 00
Printing support



GONIDIE Hortensia 134
Print pattern

Printing support **3141 bpi 00**
Print pattern **GONIDIE Hortensia 134**

Sheer fabric support for digital printing.

Technical properties

Flame retardant Transparent

Applications Roman blinds - Panel curtains - Curtains

Composition polyester/polyester FR

Weight 50 g/m²

Width 290 cm

Fabric direction Room High Direction

Fitting ↔ 0.0 cm ↕ 0.0 cm

Maintenance advice

Label France Terre Textile / OEKO-TEX STANDARD 100

Minimum order 25 linear(s) metter(s)

Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS	
Optical index	Light reflexion :	**25 %**
	Light absorption :	**4 %**
	Light transmission :	**71 %**
Transparent veil	Yes	
Thermal index	Solar reflexion :	**25 %**
	Solar absorption :	**3 %**
	Solar transmission :	**72 %**
	UV transmission :	**65 %**
	Gtot :	**Gt 50 % Fc 85 %**
Resilience	Lightfastness (units Class/8)	**6**
	Dimentional Stability (%)	
	Warp	**-1**
	Weft	**0**
	Breaking Elongation	
	Warp	**28**
	Weft	**34**
	Breaking load (daN)	
	Warp	**30**
	Weft	**36**

Print pattern GONIDIE


GONIDIE Souris 31


GONIDIE Beige 63


GONIDIE Citrouille 136


GONIDIE Glacier 43


GONIDIE Noir 10


GONIDIE Céladon 135


GONIDIE Anis 62

GONIDIE Perle 96

GONIDIE Mousse 92


GONIDIE Tourterelle 138


GONIDIE Brique 42


GONIDIE Opéra 104


GONIDIE Pacifique 54


GONIDIE Brun 23


GONIDIE Crème 32


GONIDIE Taupe 95


GONIDIE Lin 11


GONIDIE Lierre 124


GONIDIE Bergamote 121


GONIDIE Vieux rose 64

drapilux By Sotexpro

DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern GONIDIE


GONIDIE Emeraude 88


GONIDIE Fuchsia 33


GONIDIE Ebene 113


GONIDIE Ficelle 09