



BELORA BPI 00
Printing support



TERRA Brun 23
Print pattern



Printing support **BELORA BPI 00** Print pattern **TERRA Brun 23**

Dimout support for digital printing. It does not have an M1 fire rating.

Technical properties



Flame retardant



Thermal



Acoustic

Applications Roman blinds - Panel curtains - Lining - Curtains

Composition 100% polyester

Weight 260 g/m²

Width 140 cm

Fabric direction Standard Direction

Fitting ↔ 0.0 cm ↓ 0.0 cm

Maintenance advice     

Label OEKO-TEX STANDARD 100

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Flame retardant	NF 12952	
Acoustic	Noise reduction coefficient (NRC) :	0.88
Resilience	Dimensional Stability (%)	
	Warp	0
	Weft	0
	Breaking Elongation	
	Warp	17
	Weft	27
Breaking load (daN)		
Warp	87	
Weft	110	

Print pattern TERRA



TERRA Ficelle 09



TERRA Taupe 95




TERRA Ecume 82




TERRA Rose 129




TERRA Fusain 71




TERRA Hortensia 134




TERRA Naturel 26




TERRA Anis 62




TERRA Lagon 110




TERRA Citrouille 136




TERRA Pacifique 54




TERRA Chamois 111




TERRA Titanium 98




TERRA Graphite 77




TERRA Gris 97




TERRA Ardoise 87




TERRA Violine 105



TERRA Chanvre 72



TERRA Argile 85



TERRA Lin 11

drapilux
By Sotexpro

DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern TERRA



TERRA Genêt 06



TERRA Céladon 135



TERRA Ebene 113



TERRA Ocre 03