



# BIOSAT Lin 11

Combine aesthetics and well-being with high-tech fibres for antibacterial and antiviral action : Kills 99% of bacteria (tested on staphylococcus aureus et klebsiella pneumoniae). BIOSAT was tested on 2 virus strains: the enveloped human coronavirus HCoV-229 (similar to Covid-19) and the non-enveloped Murine Norovirus (similar to the gastroenteritis virus). For the former, BIOSAT kills nearly 98% of the virus in less than 2 hours and for the latter, 73% in less than 2 hours.

## Technical properties



Flame retardant



Thermal



Antibacterial



Antiviral



Acoustic

Applications Roman blinds - Panel curtains - Curtains - Partition curtain

Composition polyester/polyester FR bioactive

Weight 135 g/m<sup>2</sup> Width 280 cm

Fabric direction Room High Direction Fitting ↔ cm ↓ cm

Maintenance advice

Labels France Terre Textile (R016)

Certifications OEKO-TEX STANDARD 100 (CQ 1006/1)

Minimum order 1 linear(s) meter(s)

## Technical characteristics

|                 |  |
|-----------------|--|
| Flame retardant | M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno  |
| Acoustic        | Noise reduction coefficient (NRC) : <b>0.72</b>  |
| Antibacterial   | Yes  |
| Optical index   | Light reflexion : <b>57 %</b><br>Light absorption : <b>16 %</b><br>Light transmission : <b>27 %</b>  |
| Thermal index   | Solar reflexion : <b>53 %</b><br>Solar absorption : <b>19 %</b><br>Solar transmission : <b>28 %</b><br>UV transmission : <b>2 %</b><br>Gtot : <b>Gt 40 % Fc 68 %</b>   |
| Resilience      | Lightfastness (units Class/8) <b>6</b><br>Pilling <b>5</b><br>Dimensional Stability (%)<br>Warp <b>-0.5</b><br>Weft <b>-0.5</b><br>Martindale (Cycles) <b>14000</b><br>Breaking Elongation<br>Warp <b>43</b><br>Weft <b>37</b><br>Breaking load (daN)<br>Warp <b>42</b><br>Weft <b>129</b> |



DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected