

BOREAL BPI 00
Printing support

SCOURTIN Blanc 01
Print pattern

Printing support **BOREAL BPI 00**
Print pattern **SCOURTIN Blanc 01**

Dimout support for digital printing

Technical properties

Flame retardant | Thermal | Acoustic

Applications Roman blinds - Valences - Lining - Bed runners - Curtains
Composition 100% FR polyester
Weight 260 g/m²
Width 145 cm
Fabric direction Standard Direction
Fitting ↔ cm ↕ cm
Maintenance advice
Label OEKO-TEX STANDARD 100
Minimum order 25 linear(s) metter(s)

Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno	
Acoustic	Noise reduction coefficient (NRC) :	**0.88**
Resilience	Dimentional Stability (%)	
	Warp	**0**
	Weft	**0**
	Breaking Elongation	
	Warp	**17**
	Weft	**27**
	Breaking load (daN)	
	Warp	**87**
	Weft	**110**

Print pattern SCOURTIN


SCOURTIN Beige 63

SCOURTIN Fuchsia 33


SCOURTIN Sapin 126


SCOURTIN Bergamote 121

SCOURTIN Anthracite 38


SCOURTIN Violine 105


SCOURTIN Pacifique 54


SCOURTIN Rose 129


SCOURTIN Lin 11


SCOURTIN Naturel 26


SCOURTIN Citrouille 136


SCOURTIN Turquoise 53


SCOURTIN Brun 23


SCOURTIN Hortensia 134


SCOURTIN Orage 123


SCOURTIN Rubis 59

SCOURTIN Ficelle 09

SCOURTIN Maïs 37

SCOURTIN Céladon 135

SCOURTIN Ebene 113

DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern SCOURTIN

SCOURTIN Tourterelle 138


SCOURTIN Titanium 98


SCOURTIN Lagon 110


SCOURTIN Gris 97

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected