




BOREAL BPI 00
Printing support



GONIDIE Citrouille 136
Print pattern



Printing support **BOREAL BPI 00** Print pattern **GONIDIE Citrouille 136**

Dimout support for digital printing

Technical properties



Flame retardant



Thermal



Acoustic

Applications Roman blinds - Valences - Lining - Bed runners - Curtains

Composition 100% FR polyester

Weight 260 g/m²

Width 145 cm

Fabric direction Standard Direction

Fitting ↔ 0.0 cm ↓ 0.0 cm

Maintenance advice     

Label OEKO-TEX STANDARD 100

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno	
Acoustic	Noise reduction coefficient (NRC) : 0.88	
Resilience	Dimensional Stability (%)	
	Warp	0
	Weft	0
	Breaking Elongation	
	Warp	17
	Weft	27
	Breaking load (daN)	
	Warp	87
Weft	110	


Print pattern GONIDIE



GONIDIE Souris 31




GONIDIE Beige 63




GONIDIE Glacier 43




GONIDIE Noir 10



GONIDIE Céladon 135




GONIDIE Anis 62




GONIDIE Perle 96




GONIDIE Mousse 92



GONIDIE Tourterelle
138




GONIDIE Brique 42




GONIDIE Opéra 104




GONIDIE Pacifique 54



GONIDIE Brun 23




GONIDIE Crème 32




GONIDIE Taupe 95




GONIDIE Lin 11




GONIDIE Lierre 124



GONIDIE Bergamote
121



GONIDIE Hortensia 134



GONIDIE Vieux rose 64

drapilux
By Sotexpro

DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern GONIDIE



GONIDIE Emeraude 88



GONIDIE Fuchsia 33



GONIDIE Ebene 113



GONIDIE Ficelle 09