



BOREAL nuit 128

This plain fabric is available in a range of several colours, suitable for any style and mood.

Technical properties



Flame retardant



Thermal



Acoustic

Applications Roman blinds - Valences - Lining - Bed runners - Curtains

Composition 100% FR polyester

Weight 260 g/m² Width 290 cm

Fabric direction Room high or standard direction Fitting ↔ cm ↓ cm

Maintenance advice

Certifications OEKO-TEX STANDARD 100 (CQ 1006/1)

Minimum order 1 linear(s) meter(s)

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno
Acoustic	Noise reduction coefficient (NRC) : 0.88
	Weighted sound absorption coefficient (a _w) : 0.90
	Acoustic absorption class (a _w) : A
Optical index	Light reflexion : 3 %
	Light absorption : 97 %
	Light transmission : 0 %
Thermal index	Solar reflexion : 27 %
	Solar absorption : 73 %
	Solar transmission : 0 %
	UV transmission : 0 %
	Gtot : Gt 48 % Fc 81 %
Resilience	Lightfastness (units Class/8) 4
	Dimensional Stability (%)
	Warp 0
	Weft 0
	Breaking Elongation
	Warp 17
	Weft 27
	Breaking load (daN)
	Warp 87
	Weft 110

drapilux
By Sotexpro

DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected