


COMET BPI 00
Printing support



TERRA Ficelle 09
Print pattern



Printing support **COMET BPI 00** Print pattern **TERRA Ficelle 09**

Blackout Print Support

Technical properties



Flame retardant

Applications Roman blinds - Panel curtains - Curtains

Composition 100% polyester with white flocked acrylic backing

Weight 390 g/m²

Width 280 cm

Fabric direction Room High Direction

Fitting ↔ 0.0 cm ↓ 0.0 cm

Maintenance advice     

Label

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Flame retardant

EN13773 : 2003 Class 1 / BS 5867 TYPE B / B1 / IMO PASS /
UNI 8456 / 9174 Classe Uno

Resilience

Dimentional Stability (%)

Warp 0

Weft 0

Breaking Elongation

Warp 38


Weft 38

Breaking load (daN)


Warp 170

Weft 120


Print pattern TERRA




TERRA Taupe 95




TERRA Ecume 82




TERRA Rose 129




TERRA Fusain 71




TERRA Brun 23




TERRA Hortensia 134




TERRA Naturel 26




TERRA Anis 62




TERRA Lagon 110




TERRA Citrouille 136




TERRA Pacifique 54




TERRA Chamois 111




TERRA Titanium 98




TERRA Graphite 77




TERRA Gris 97




TERRA Ardoise 87




TERRA Violine 105



TERRA Chanvre 72



TERRA Argile 85




TERRA Lin 11

drapilux
By Sotexpro


DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected


Print pattern TERRA



TERRA Genêt 06



TERRA Céladon 135



TERRA Ebene 113



TERRA Ocre 03

drapilux
By Sotexpro

DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected