



LINOSA Titanium 98

This plain, light-filtering fabric resembling linen is captivating and perfect for natural and warm décor.

Technical properties



Flame retardant

Applications Roman blinds - Panel curtains - Curtains - Cushions - Decorative frames

Composition 100% FR polyester

Weight 260 g/m² 0 g/ml Width 280 cm

Fabric direction Room high or standard direction Fitting ↔ cm ↓ cm

Maintenance advice

Labels France Terre Textile (R016)

Certifications OEKO-TEX STANDARD 100 (CQ 1006/1)

Minimum order 1 linear(s) meter(s)



Technical characteristics

Flame retardant

M1 / IMO PASS

Optical index

Light reflexion : 9 %

Light absorption : 86 %

Light transmission : 5 %

Thermal index

Solar reflexion : 36 %

Solar absorption : 45 %

Solar transmission : 19 %

UV transmission : 8 %

Gtot : Gt 45 % Fc 77 %

Resilience

Lightfastness (units Class/8) 3

Pilling 1-2

Dimensional Stability (%)

Warp -2

Weft -0.5

Martindale (Cycles) 30000

Breaking Elongation

Warp 25

Weft 25

Breaking load (daN)

Warp 140

Weft 100

drapilux
By Sotexpro

DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on supports selected