



NOCTIS BPI 00
Printing support



PAEONIA Titanium 98
Print pattern



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Printing support **NOCTIS BPI 00** Print pattern **PAEONIA Titanium 98**

This fabric is used as a print medium.

Technical properties



Flame retardant

Applications Roman blinds - Roller blinds - Panel curtains - Lining - Curtains

Composition 100% polyester with white flocked acrylic backing

Weight 290 g/m²

Width 140 cm

Fabric direction Standard Direction

Fitting ↔ 51.0 cm ↓ 50.0 cm

Maintenance advice

Label

Minimum order 5 linear(s) meter(s)

Technical characteristics

| | | |
|-----------------|-------------------------------------|------------------------|
| Flame retardant | M1 | |
| Acoustic | Noise reduction coefficient (NRC) : | 0.28 |
| Optical index | Light reflexion : | 71 % |
| | Light absorption : | 29 % |
| | Light transmission : | 0 % |
| Thermal index | Solar reflexion : | 64 % |
| | Solar absorption : | 36 % |
| | Solar transmission : | 0 % |
| | UV transmission : | 0 % |
| | Gtot : | Gt 36 % Fc 61 % |
| Resilience | Lightfastness (units Class/8) | 6 |
| | Dimensional Stability (%) | |
| | Warp | -0,5 |
| | Weft | 0 |
| | Breaking Elongation | |
| | Warp | 20 |
| | Weft | 24 |
| | Breaking load (daN) | |
| | Warp | 53 |
| Weft | 63 | |

Print pattern PAEONIA



PAEONIA Beige 63



PAEONIA Hortensia 134



PAEONIA Turquoise 53