




NOCTWIN BPI 00  
Printing support



METIS Noir 10  
Print pattern



# Printing support **NOCTWIN BPI 00** Print pattern **METIS Noir 10**

Support occultant pour impression, imprimable des 2 côtés.

## Technical properties



Flame retardant

**Applications** Roman blinds - Panel curtains - Curtains

**Composition** Polyester/acrylique envers floqué

**Weight** 300 g/m<sup>2</sup>

**Width** 280 cm

**Fabric direction** Room High Direction

**Fitting** ↔ 0.0 cm ↓ 0.0 cm

**Maintenance advice**     

**Label**

**Minimum order** 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

## Technical characteristics

Flame retardant

B1 / IMO PASS

Resilience

Lightfastness (units Class/8)	6
Dimensional Stability (%)	
Warp	-1
Weft	0
Breaking Elongation	
Warp	31
Weft	8
Breaking load (daN)	
Warp	120
Weft	43


# Print pattern METIS




METIS Gentiane 16



METIS Absinthe 132



METIS Citrouille 136




METIS Chanvre 72




METIS Gris 97



METIS Bergamote 121




METIS Violine 105




METIS Perle 96




METIS Céladon 135



METIS Lin 11




METIS Sienne 29




METIS Lagon 110




METIS Cobalt 114



METIS Framboise 81




METIS Abricot 08




METIS Chamois 111




METIS Ivoire 115



METIS Ficelle 09



METIS Rose 129



METIS Parme 79

**drapilux**  
By Sotexpro

DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

## Print pattern METIS



METIS Cactus 36



METIS Hortensia 134



METIS Naturel 26



METIS Chaudron 118