




NORA Gris envers blanc 63
Printing support



GONIDIE Brique 42
Print pattern



Printing support **NORA Gris envers blanc 63**

Print pattern **GONIDIE Brique 42**

Support occultant pour impression, imprimable des 2 côtés dont un texturé.

Technical properties

Applications Roman blinds - Panel curtains - Curtains

Composition Polyester/acrylique

Weight 380 g/m²

Width 280 cm

Fabric direction Room High Direction

Fitting ↔ 0,0 cm ↓ 0,0 cm

Maintenance advice     

Label

Minimum order 25 linear(s) metter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Resilience

Dimensional Stability (%)

Warp -0,5

Weft -0,5

Breaking Elongation

Warp 28


Weft 12

Breaking load (daN)


Warp 140

Weft 57


Print pattern GONIDIE



GONIDIE Souris 31




GONIDIE Beige 63




GONIDIE Citrouille 136




GONIDIE Glacier 43



GONIDIE Noir 10




GONIDIE Céladon 135




GONIDIE Anis 62




GONIDIE Perle 96




GONIDIE Mousse 92




GONIDIE Tourterelle
138



GONIDIE Opéra 104




GONIDIE Pacifique 54




GONIDIE Brun 23




GONIDIE Crème 32



GONIDIE Taupe 95




GONIDIE Lin 11



GONIDIE Lierre 124



GONIDIE Bergamote
121



GONIDIE Hortensia 134



GONIDIE Vieux rose 64

drapilux
By Sotexpro


DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected


Print pattern GONIDIE




GONIDIE Emeraude 88



GONIDIE Fuchsia 33



GONIDIE Ebene 113



GONIDIE Ficelle 09