


NOSUN BPI 00
Printing support



SCOURTIN Citrouille 136
Print pattern



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Printing support **NOSUN BPI 00** Print pattern **SCOURTIN Citrouille 136**

Support pour impression effet natté reliéé occultant grâce à son envers floqué acrylique blanc

Technical properties

Applications Roman blinds - Panel curtains - Curtains

Composition Polyester/acrylique

Weight 400 g/m²

Width 280 cm

Fabric direction Room High Direction

Fitting ↔ cm ↓ cm

Maintenance advice     

Label

Minimum order 25 linear(s) metter(s)

Technical characteristics

Resilience

Dimentional Stability (%)

Warp 0

Weft 0

Breaking Elongation

Warp 40


Weft 32

Breaking load (daN)


Warp 190

Weft 93


Print pattern SCOURTIN




SCOURTIN Beige 63




SCOURTIN Fuchsia 33




SCOURTIN Sapin 126




SCOURTIN Bergamote
121




SCOURTIN Anthracite
38




SCOURTIN Violine 105




SCOURTIN Pacifique 54




SCOURTIN Rose 129




SCOURTIN Blanc 01




SCOURTIN Lin 11




SCOURTIN Naturel 26




SCOURTIN Turquoise 53




SCOURTIN Brun 23




SCOURTIN Hortensia
134




SCOURTIN Orange 123




SCOURTIN Rubis 59




SCOURTIN Ficelle 09



SCOURTIN Maïs 37



SCOURTIN Céladon 135




SCOURTIN Ebene 113

drapilux
By Sotexpro


DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected


Print pattern SCOURTIN




SCOURTIN Tourterelle
138



SCOURTIN Titanium 98



SCOURTIN Lagon 110



SCOURTIN Gris 97