



OPAQ BPI 00
Printing support









6060 Naturel 26
Print pattern

Printing support **OPAQ BPI 00** Print pattern **6060 Naturel 26**

Unclassified blackout print support

Technical properties

- Applications** Roman blinds - Panel curtains - Lining - Curtains
- Composition** 100% polyester with white flocked acrylic backing
- Weight** 280 g/m²
- Width** 280 cm
- Fabric direction** Room High Direction
- Fitting** ↔ 34.0 cm ↑ 34.0 cm
- Maintenance advice**     
- Label**
- Minimum order** 25 linear(s) meter(s)

 Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

| | | |
|---------------|-------------------------------|-----------------|
| Optical index | Light reflexion : | 82 % |
| | Light absorption : | 18 % |
| | Light transmission : | 0 % |
| Thermal index | Solar reflexion : | 74 % |
| | Solar absorption : | 26 % |
| | Solar transmission : | 0 % |
| | UV transmission : | 0 % |
| | Gtot : | Gt 33 % Fc 55 % |
| Resilience | Lightfastness (units Class/8) | 5 |
| | Dimentional Stability (%) | |
| | Warp | -0,5 |
| | Weft | 0 |
| | Breaking Elongation | |
| | Warp | 26 |
| | Weft | 15 |
| | Breaking load (daN) | |
| | Warp | 62 |
| | Weft | 31 |