OPAQ BPI 00
Printing support



GONIDIE Souris 31
Print pattern

Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Printing support **OPAQ BPI 00**
Print pattern **GONIDIE Souris 31**

Unclassified blackout print support

Technical properties

Applications Roman blinds - Panel curtains - Lining - Curtains
Composition 100% polyester with white flocked acrylic backing
Weight 280 g/m²
Width 280 cm
Fabric direction Room High Direction
Fitting ↔ 0.0 cm ↕ 0.0 cm
Maintenance advice
Label
Minimum order 25 linear(s) metter(s)

Technical characteristics

Optical index	Light reflexion :	**82 %**
	Light absorption :	**18 %**
	Light transmission :	**0 %**
Thermal index	Solar reflexion :	**74 %**
	Solar absorption :	**26 %**
	Solar transmission :	**0 %**
	UV transmission :	**0 %**
	Gtot :	**Gt 33 % Fc 55 %**
Resilience	Lightfastness (units Class/8)	**5**
	Dimentional Stability (%)	
	Warp	**-0,5**
	Weft	**0**
	Breaking Elongation	
	Warp	**26**
	Weft	**15**
	Breaking load (daN)	
	Warp	**62**
	Weft	**31**

Print pattern GONIDIE


GONIDIE Beige 63


GONIDIE Citrouille 136


GONIDIE Glacier 43


GONIDIE Noir 10


GONIDIE Céladon 135


GONIDIE Anis 62

GONIDIE Perle 96

GONIDIE Mousse 92


GONIDIE Tourterelle 138


GONIDIE Brique 42


GONIDIE Opéra 104


GONIDIE Pacifique 54


GONIDIE Brun 23


GONIDIE Crème 32


GONIDIE Taupe 95


GONIDIE Lin 11


GONIDIE Lierre 124


GONIDIE Bergamote 121

GONIDIE Hortensia 134


GONIDIE Vieux rose 64

DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern GONIDIE


GONIDIE Emeraude 88


GONIDIE Fuchsia 33


GONIDIE Ebene 113


GONIDIE Ficelle 09

DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected