



OPAQ BPI 00
Printing support



ELAINA Naturel 26
Print pattern



Printing support **OPAQ BPI 00** Print pattern **ELAINA Naturel 26**

Unclassified blackout print support

Technical properties

Applications Roman blinds - Panel curtains - Lining - Curtains

Composition 100% polyester with white flocked acrylic backing

Weight 280 g/m²

Width 280 cm

Fabric direction Room High Direction

Fitting ↔ 0.0 cm ↑ 0.0 cm

Maintenance advice     

Label

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Optical index

| | |
|----------------------|-------------|
| Light reflexion : | 82 % |
| Light absorption : | 18 % |
| Light transmission : | 0 % |


Thermal index

| | |
|----------------------|------------------------|
| Solar reflexion : | 74 % |
| Solar absorption : | 26 % |
| Solar transmission : | 0 % |
| UV transmission : | 0 % |
| Gtot : | Gt 33 % Fc 55 % |


Resilience

| | |
|-------------------------------|-------------|
| Lightfastness (units Class/8) | 5 |
| Dimensional Stability (%) | |
| Warp | -0,5 |
| Weft | 0 |
| Breaking Elongation | |
| Warp | 26 |
| Weft | 15 |
| Breaking load (daN) | |
| Warp | 62 |
| Weft | 31 |


Print pattern ELAINA



ELAINA Gris 91




ELAINA Violine 105




ELAINA Ocre 03




ELAINA Lin 11



ELAINA Bergamote 121




ELAINA Rose 129




ELAINA Pacifique 54




ELAINA Beige 63




ELAINA Céladon 135




ELAINA Saphir 106




ELAINA Anis 62




ELAINA Rouge 21




ELAINA Hortensia 134




ELAINA Prairie 125



ELAINA Graphite 77




ELAINA Lierre 124




ELAINA Genêt 06



ELAINA Ivoire 115



ELAINA Gentiane 16




ELAINA Navy 120

drapilux
By Sotexpro


DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern ELAINA




ELAINA Chamois 111



ELAINA Turquoise 53



ELAINA Anthracite 38



ELAINA Fiesta 131