




POL 00
Printing support



TERRA Citrouille 136
Print pattern



Printing support POL 00

Print pattern TERRA Citrouille 136

Print support.

Technical properties



Flame retardant

Applications Bedspreads - Lining - Bed runners

Composition 100% polyester

Weight 80 g/m²

Width 180 cm

Fabric direction Standard Direction

Fitting ↔ 0.0 cm ↓ 0.0 cm

Maintenance advice     

Label France Terre Textile

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

| | | |
|-----------------|-------------------------------|----------------------|
| Flame retardant | NF 12952 | |
| Optical index | Light reflexion : | 0 % |
| | Light absorption : | 0 % |
| | Light transmission : | 0 % |
| Thermal index | Solar reflexion : | 0 % |
| | Solar absorption : | 0 % |
| | Solar transmission : | 0 % |
| | UV transmission : | 0 % |
| | Gtot : | Gt 0 % Fc 0 % |
| Resilience | Lightfastness (units Class/8) | 0 |
| | Martindale (Cycles) | 0 |
| | Breaking Elongation | |
| | Warp | 0 |
| | Weft | 0 |
| | Breaking load (daN) | |
| Warp | 0 | |
| Weft | 0 | |

Print pattern TERRA



TERRA Ficelle 09



TERRA Taupe 95



TERRA Ecume 82



TERRA Rose 129



TERRA Fusain 71



TERRA Brun 23



TERRA Hortensia 134




TERRA Naturel 26




TERRA Anis 62




TERRA Lagon 110




TERRA Pacifique 54




TERRA Chamois 111




TERRA Titanium 98




TERRA Graphite 77




TERRA Gris 97



TERRA Ardoise 87



TERRA Violine 105



TERRA Chanvre 72



TERRA Argile 85



TERRA Lin 11

drapilux
By Sotexpro

DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern TERRA



TERRA Genêt 06



TERRA Céladon 135



TERRA Ebene 113



TERRA Ocre 03