



# SADYNA Mastic 48

This plain, twill, light-filtering fabric is a classic. Perfect for simpler designs or to coordinate with our woven Jacquard patterns. Available in several colours.

## Technical properties



Flame retardant



Thermal



Acoustic

**Applications** Roman blinds - Panel curtains - Valences - Bed runners - Curtains - Cushions - Decorative frames

**Composition** 100% FR polyester

**Weight** 320 g/m<sup>2</sup> **Width** 280 cm

**Fabric direction** Room high or standard direction **Fitting** ↔ cm ↓ cm

**Maintenance advice**     

**Labels** France Terre Textile (R016)

**Certifications** OEKO-TEX STANDARD 100 (CQ 1006/1)

**Minimum order** 1 linear(s) meter(s)

## Technical characteristics

Flame retardant	M1 / B1 / IMO PASS	
Acoustic	Noise reduction coefficient (NRC) :	<b>0.88</b>
	Weighted sound absorption coefficient (a <sub>w</sub> ) :	<b>0.85</b>
	Acoustic absorption class (a <sub>w</sub> ) :	<b>B</b>
Optical index	Light reflexion :	<b>15 %</b>
	Light absorption :	<b>84 %</b>
	Light transmission :	<b>1 %</b>
Thermal index	Solar reflexion :	<b>45 %</b>
	Solar absorption :	<b>41 %</b>
	Solar transmission :	<b>14 %</b>
	UV transmission :	<b>0 %</b>
	Gtot :	<b>Gt 42 % Fc 72 %</b>
Resilience	Lightfastness (units Class/8)	<b>6</b>
	Pilling	<b>2-3</b>
	Dimensional Stability (%)	
	Warp	<b>-1.5</b>
	Weft	<b>0</b>
	Martindale (Cycles)	<b>20000</b>
	Breaking Elongation	
	Warp	<b>24</b>
	Weft	<b>22</b>
	Breaking load (daN)	
Warp	<b>150</b>	
Weft	<b>160</b>	

**drapilux**  
By Sotexpro

DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected