



SADYNA Paille 83

This plain, twill, light-filtering fabric is a classic. Perfect for simpler designs or to coordinate with our woven Jacquard patterns. Available in several colours.

Technical properties



Flame retardant



Thermal



Acoustic

Applications Roman blinds - Panel curtains - Valences - Bed runners - Curtains - Cushions - Decorative frames

Composition 100% FR polyester

Weight 320 g/m² **Width** 280 cm

Fabric direction Room high or standard direction **Fitting** ↔ cm ↓ cm

Maintenance advice

Labels France Terre Textile (R016)

Certifications OEKO-TEX STANDARD 100 (CQ 1006/1)

Minimum order 1 linear(s) meter(s)

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS
Acoustic	Noise reduction coefficient (NRC) : 0.88 Weighted sound absorption coefficient (a _w) : 0.85 Acoustic absorption class (a _w) : B
Optical index	Light reflexion : 59 % Light absorption : 28 % Light transmission : 13 %
Thermal index	Solar reflexion : 63 % Solar absorption : 20 % Solar transmission : 17 % UV transmission : 4 % Gtot : Gt 37 % Fc 62 %
Resilience	Lightfastness (units Class/8) 6 Pilling 2-3 Dimensional Stability (%) Warp -1.5 Weft 0 Martindale (Cycles) 20000 Breaking Elongation Warp 24 Weft 22 Breaking load (daN) Warp 150 Weft 160

drapilux
By Sotexpro

DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected