



SIENTO RECYCLE DESSIN 2170 ARGILE Lin 11

Technical properties



Flame retardant



Thermal



Acoustic



Recycled fabrics

Applications Roman blinds - Panel curtains - Curtains

Composition 80% recycled polyester FR / 20% polyester FR

Weight 330 g/m² Width 140 cm

Fabric direction Room high or standard direction Fitting → 16.0 cm ↑ 16.0 cm

Maintenance advice     

Labels France Terre Textile (R016)

Certifications OEKO-TEX STANDARD 100 Recyclé (CQ 1006/2)

Minimum order 25 linear(s) meter(s)

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno	
Acoustic	Noise reduction coefficient (NRC) :	0.73
	Weighted sound absorption coefficient (a _w) :	0.65
	Acoustic absorption class (a _w) :	C
Optical index	Light reflexion :	52 %
	Light absorption :	40 %
	Light transmission :	8 %
Thermal index	Solar reflexion :	61 %
	Solar absorption :	24 %
	Solar transmission :	15 %
	UV transmission :	3 %
Resilience	Lightfastness (units Class/8)	6
	Pilling	4-5
	Dimensional Stability (%)	
	Warp	-1,5
	Weft	-1,5
	Martindale (Cycles)	35000
	Breaking Elongation	
	Warp	41
	Weft	44
	Breaking load (daN)	
	Warp	180
Weft	150	

drapilux
By Sotexpro

DRAPILUX GmbH - Hafenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected