




SOLLY BPI 00
Printing support



MUNA Tourterelle 138
Print pattern



Printing support **SOLLY BPI 00** Print pattern **MUNA Tourterelle 138**

Textured Printing base fabric. the linen look weft creates a light irregular texture which allows it to be easily printed by transfer sublimation.

Technical properties



Flame retardant

Applications Curtains - Roman blinds - Panel curtains

Composition 50% polyester FR recyclé/50% polyester FR

Weight 240 g/m²

Width 280 cm

Fabric direction Room High Direction

Fitting ↔ cm ↓ cm

Maintenance advice     

Label France Terre Textile / OEKO-TEX STANDARD 100 Recyclé

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics


Flame retardant

M1 / B1 / UNI 8456 / 9174 Classe Uno


Resilience

Lightfastness (units Class/8)	4
Pilling	3
Dimensional Stability (%)	
Warp	-3
Weft	-1
Martindale (Cycles)	25000
Breaking Elongation	
Warp	36
Weft	36
Breaking load (daN)	
Warp	170
Weft	60


Print pattern MUNA




MUNA Cactus 36



MUNA soleil 90




MUNA gris 97




MUNA lin 11




MUNA Melon 22



MUNA souris 31




MUNA lagon 110



MUNA jade 116



MUNA terre 107



MUNA céladon 135




MUNA Coco 142




MUNA Sable 67



MUNA Saumon 143



MUNA Sisal 140




MUNA Ardoise 87



MUNA Tilleul 103



MUNA Chanvre 72



MUNA Graphite 77



MUNA Olive 61



MUNA Lierre 124

drapilux
By Sotexpro

DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected


Print pattern MUNA



MUNA Indigo 144




MUNA Sienne 29




MUNA Rouge 21



MUNA Saphir 106



MUNA Violine 105



MUNA Titanium 98



MUNA Acier 18