

SOLLY BPI 00
Printing support



ELAINA Genêt 06
Print pattern

Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

# Printing support **SOLLY BPI 00**
# Print pattern **ELAINA Genêt 06**

Textured Printing base fabric. the linen look weft creates a light irregular texture which allows it to be easily printed by transfer sublimation.

## Technical properties

Flame retardant

**Applications** Roman blinds - Panel curtains - Curtains

**Composition** 50% polyester FR recyclé/50% polyester FR

**Weight** 240 g/m²

**Width** 280 cm

**Fabric direction** Room High Direction

**Fitting** ↔ 0.0 cm ↕ 0.0 cm

**Maintenance advice**

**Label** France Terre Textile / OEKO-TEX STANDARD 100 Recyclé

**Minimum order** 25 linear(s) metter(s)

## Technical characteristics

| | | |
|---|---|---|
| Flame retardant | M1 / B1 / UNI 8456 / 9174 Classe Uno | |
| Resilience | Lightfastness (units Class/8) | **4** |
| | Pilling | **3** |
| | Dimentional Stability (%) | |
| | Warp | **-3** |
| | Weft | **-1** |
| | Martindale (Cycles) | **25000** |
| | Breaking Elongation | |
| | Warp | **36** |
| | Weft | **36** |
| | Breaking load (daN) | |
| | Warp | **170** |
| | Weft | **60** |

# Print pattern ELAINA


ELAINA Gris 91


ELAINA Violine 105


ELAINA Ocre 03

ELAINA Lin 11


ELAINA Bergamote 121

ELAINA Rose 129


ELAINA Pacifique 54

ELAINA Beige 63


ELAINA Céladon 135

ELAINA Saphir 106


ELAINA Anis 62

ELAINA Rouge 21

ELAINA Hortensia 134


ELAINA Prairie 125


ELAINA Graphite 77


ELAINA Lierre 124


ELAINA Naturel 26


ELAINA Ivoire 115


ELAINA Gentiane 16


ELAINA Navy 120

drapilux By Sotexpro

**DRAPILUX GmbH** - Hafenstraße 3, 77694 Kehl - Deutschland

*Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected*

# Print pattern ELAINA


ELAINA Chamois 111


ELAINA Turquoise 53


ELAINA Anthracite 38


ELAINA Fiesta 131