




VEGA 00 BPI 00  
Printing support



METIS Ficelle 09  
Print pattern



## Printing support **VEGA 00 BPI 00** Print pattern **METIS Ficelle 09**

Blackout print support with velvet look

### Technical properties



Flame retardant

**Applications** Roman blinds - Panel curtains - Curtains

**Composition** 100% polyester with white flocked acrylic backing

**Weight** 390 g/m<sup>2</sup>

**Width** 260 cm

**Fabric direction** Room High Direction

**Fitting** ↔ 0.0 cm ↓ 0.0 cm

**Maintenance advice**     

**Label**

**Minimum order** 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

## Technical characteristics

Flame retardant

EN13773 : 2003 Class 1 / BS 5867 TYPE B / B1 / IMO PASS

Resilience

Lightfastness (units Class/8)

4

Dimensional Stability (%)

Warp

-1

Weft

0

Breaking Elongation

Warp

69

Weft

106

Breaking load (daN)

Warp

52

Weft

41

# Print pattern METIS



METIS Gentiane 16



METIS Absinthe 132



METIS Noir 10



METIS Citrouille 136



METIS Chanvre 72




METIS Gris 97




METIS Bergamote 121




METIS Violine 105




METIS Perle 96




METIS Céladon 135




METIS Lin 11




METIS Sienne 29




METIS Lagon 110




METIS Cobalt 114




METIS Framboise 81




METIS Abricot 08




METIS Chamois 111



METIS Ivoire 115



METIS Rose 129



METIS Parme 79

**drapilux**  
By Sotexpro

DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected


## Print pattern METIS




METIS Cactus 36



METIS Hortensia 134



METIS Naturel 26



METIS Chaudron 118