




VELTEN BPI 00
Printing support



GONIDIE Lin 11
Print pattern



Printing support **VELTEN BPI 00** Print pattern **GONIDIE Lin 11**

Unclassified velvet print support with acrylic coating

Technical properties

Applications Roman blinds - Panel curtains - Curtains

Composition 100% ungraded polyester with white flocked acrylic backing

Weight 390 g/m²

Width 260 cm

Fabric direction Standard Direction

Fitting ↔ 0.0 cm ↓ 0.0 cm

Maintenance advice     

Label

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Resilience

Lightfastness (units Class/8)

4

Dimensional Stability (%)

Warp

-1

Weft

0

Breaking Elongation

Warp

69

Weft

106

Breaking load (daN)


Warp

52

Weft

41


Print pattern GONIDIE



GONIDIE Souris 31




GONIDIE Beige 63




GONIDIE Citrouille 136




GONIDIE Glacier 43



GONIDIE Noir 10




GONIDIE Céladon 135




GONIDIE Anis 62




GONIDIE Perle 96




GONIDIE Mousse 92




GONIDIE Tourterelle
138




GONIDIE Brique 42




GONIDIE Opéra 104




GONIDIE Pacifique 54




GONIDIE Brun 23




GONIDIE Crème 32




GONIDIE Taupe 95




GONIDIE Lierre 124



GONIDIE Bergamote
121



GONIDIE Hortensia 134




GONIDIE Vieux rose 64

drapilux
By Sotexpro


DRAPILUX GmbH - Hofenstraße 3, 77694 Kehl - Deutschland

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected


Print pattern GONIDIE




GONIDIE Emeraude 88



GONIDIE Fuchsia 33



GONIDIE Ebene 113



GONIDIE Ficelle 09